ZPMV2.E326987 Wiring, Printed - Component

For enhanced search functionality, please visit UL's <u>iQ™ Family of Databases</u>. Click on a product designation for complete information.

Page Bottom

Wiring, Printed - Component

See General Information for Wiring, Printed - Component

STANDARD PRINTED CIRCUIT BOARD LTD

E326987

UNIT 1214, 12/F, SHING YIP IND BLDG 19-21 SHING YIP ST KWUN TONG KOWLOON, HONG KONG

	Cond Width				Max			Max			
		Min	Cond	SS/	Area	Solder		Oper		Meets	C
	Min	Edge	Thk	DS/	Diam	Limits		Temp	Flame	UL796	T
Туре	mm(in)	mm(in)	mic(mil)	DSO	mm(in)	С	sec	С	Class	DSR	Ι
Metal Base Single Layer Printed Wiring Boards.											
SPCB^A1	0.15 (0.006)	0.3 (0.012)	34 (1.34)	SS	50.8 (2.0)	280	10	90	V-0	-	-
Metal Base Single layer printed wiring boards.											
^A1	0.10 (0.004)	0.10 (0.004)	34 (1.34)	DS	50.8 (2.0)	280	20	90	V-0	All	0
Multilayer metal base printed wiring boards											
^A2	0.16 (0.006)	0.48 (0.019)	30 (1.18) Int:102	SS	25.4 (1.0)	288	60	130	V-0	All	*
Multilayer p	rinted wiring	boards.									
SPCB^M	0.10 (0.004)	0.10 (0.004)	17 (0.67) Int:70	DS	25.4 (1.0)	288	20	130	V-0	All	*
SPCB^M1	0.15 (0.006)	0.18 (0.007)	34 (1.34) Int:68	DS	50.8 (2.0)	260	20	130	V-0	All	-
^M	0.10 (0.004)	0.10 (0.004)	17 (0.67) Int:17	DS	50.8 (2.0)	280	20	130	V-0	All	3
^M1	0.10 (0.004)	0.20 (0.008)	17 (0.67) Int:170	DS	25.4 (1.0)	280	5	130	V-0	All	*
^M2	0.10 (0.004)	0.20 (0.008)	17 (0.67) Int:35	DS	25.4 (1.0)	280	5	130	V-0	All	*
Single layer	printed wirin	g boards.									
SPCB^D	0.10 (0.004)	0.10 (0.004)	17 (0.67)	DS	50.8 (2.0)	280	20	130	V-0	All	3
SPCB^D1	0.16 (0.006)	0.23 (0.009)	34 (1.34)	DS	50.8 (2.0)	260	20	130	V-0	All	-
SPCB^SS2	0.10 (0.004)	0.30 (0.012)	17 (0.67)	DS	25.4 (1.0)	265	20	130	V-0	All	-
^D2	0.14 (0.006)	0.14 (0.006)	35 (1.38)	DS	50.8 (2.0)	260	10	130	V-0	All	*

^{* -} CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or trademark or file number and type designation. May be followed by a suffix to denote factory identification or burning test classification.

Last Updated on 2015-08-20

Questions? Print this page

Terms of Use

Page Top

♦ 2015 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".